

Base R

Cheat Sheet

Getting Help

Accessing the help files

?mean

Get help of a particular function.

help.search('weighted mean')

Search the help files for a word or phrase.

help(package = 'dplyr')

Find help for a package.

More about an object

str(iris)

Get a summary of an object's structure.

class(iris)

Find the class an object belongs to.

Using Libraries

install.packages('dplyr')

Download and install a package from CRAN.

library(dplyr)

Load the package into the session, making all its functions available to use.

dplyr::select

Use a particular function from a package.

data(iris)

Load a build-in dataset into the environment.

Working Directory

getwd()

Find the current working directory (where inputs are found and outputs are sent).

setwd('C://file/path')

Change the current working directory.

Use projects in RStudio to set the working directory to the folder you are working in.

Vectors

Creating Vectors

| | | |
|-------------------|-------------|-----------------------------|
| c(2, 4, 6) | 2 4 6 | Join elements into a vector |
| 2:6 | 2 3 4 5 6 | An integer sequence |
| seq(2, 3, by=0.5) | 2.0 2.5 3.0 | A complex sequence |
| rep(1:2, times=3) | 1 2 1 2 1 2 | Repeat a vector |
| rep(1:2, each=3) | 1 1 1 2 2 2 | Repeat elements of a vector |

Vector Functions

sort(x)

Return x sorted.

table(x)

See counts of values.

rev(x)

Return x reversed.

unique(x)

See unique values.

Selecting Vector Elements

By Position

| | |
|------------|----------------------------------|
| x[4] | The fourth element. |
| x[-4] | All but the fourth. |
| x[2:4] | Elements two to four. |
| x[-(2:4)] | All elements except two to four. |
| x[c(1, 5)] | Elements one and five. |

By Value

| | |
|----------------------|---------------------------------|
| x[x == 10] | Elements which are equal to 10. |
| x[x < 0] | All elements less than zero. |
| x[x %in% c(1, 2, 5)] | Elements in the set 1, 2, 5. |

Named Vectors

| | |
|------------|----------------------------|
| x['apple'] | Element with name 'apple'. |
|------------|----------------------------|

Programming

For Loop

```
for (variable in sequence){
  Do something
}
```

Example

```
for (i in 1:4){
  j <- i + 10
  print(j)
}
```

While Loop

```
while (condition){
  Do something
}
```

Example

```
while (i < 5){
  print(i)
  i <- i + 1
}
```

If Statements

```
if (condition){
  Do something
} else {
  Do something different
}
```

Example

```
if (i > 3){
  print('Yes')
} else {
  print('No')
}
```

Functions

```
function_name <- function(var){
  Do something
  return(new_variable)
}
```

Example

```
square <- function(x){
  squared <- x*x
  return(squared)
}
```

Reading and Writing Data

| Input | Output | Description |
|------------------------------|-------------------------------|--|
| df <- read.table('file.txt') | write.table(df, 'file.txt') | Read and write a delimited text file. |
| df <- read.csv('file.csv') | write.csv(df, 'file.csv') | Read and write a comma separated value file. This is a special case of read.table/write.table. |
| load('file.RData') | save(df, file = 'file.RData') | Read and write an R data file, a file type special for R. |

Conditions

| | | | | | | | |
|--------|-----------|-------|--------------|--------|--------------------------|------------|------------|
| a == b | Are equal | a > b | Greater than | a >= b | Greater than or equal to | is.na(a) | Is missing |
| a != b | Not equal | a < b | Less than | a <= b | Less than or equal to | is.null(a) | Is null |

Types

Converting between common data types in R. Can always go from a higher value in the table to a lower value.

| | | |
|---------------------------|------------------------------------|---|
| <code>as.logical</code> | TRUE, FALSE, TRUE | Boolean values (TRUE or FALSE). |
| <code>as.numeric</code> | 1, 0, 1 | Integers or floating point numbers. |
| <code>as.character</code> | '1', '0', '1' | Character strings. Generally preferred to factors. |
| <code>as.factor</code> | '1', '0', '1', levels: '1', '0' | Character strings with preset levels. Needed for some statistical models. |

Maths Functions

| | | | |
|----------------------------|---------------------------------|--------------------------|-------------------------|
| <code>log(x)</code> | Natural log. | <code>sum(x)</code> | Sum. |
| <code>exp(x)</code> | Exponential. | <code>mean(x)</code> | Mean. |
| <code>max(x)</code> | Largest element. | <code>median(x)</code> | Median. |
| <code>min(x)</code> | Smallest element. | <code>quantile(x)</code> | Percentage quantiles. |
| <code>round(x, n)</code> | Round to n decimal places. | <code>rank(x)</code> | Rank of elements. |
| <code>sig.fig(x, n)</code> | Round to n significant figures. | <code>var(x)</code> | The variance. |
| <code>cor(x, y)</code> | Correlation. | <code>sd(x)</code> | The standard deviation. |

Variable Assignment

```
> a <- 'apple'
> a
[1] 'apple'
```




The Environment

| | |
|------------------------------|--|
| <code>ls()</code> | List all variables in the environment. |
| <code>rm(x)</code> | Remove x from the environment. |
| <code>rm(list = ls())</code> | Remove all variables from the environment. |

You can use the environment panel in RStudio to browse variables in your environment.

Matrixes

```
m <- matrix(x, nrow = 3, ncol = 3)
Create a matrix from x.
```

| | |
|--|--|
|  <code>m[2,]</code> - Select a row | <code>t(m)</code> Transpose |
|  <code>m[, 1]</code> - Select a column | <code>m %*% n</code> Matrix Multiplication |
|  <code>m[2, 3]</code> - Select an element | <code>solve(m, n)</code> Find x in: $m * x = n$ |

Lists

```
l <- list(x = 1:5, y = c('a', 'b'))
A list is collection of elements which can be of different types.
```

| | | | |
|---|--|---------------------------------------|--|
| <code>l[[2]]</code> Second element of l. | <code>l[1]</code> New list with only the first element. | <code>l\$x</code> Element named x. | <code>l['y']</code> New list with only element named y. |
|---|--|---------------------------------------|--|




Also see the **dplyr** library.

Data Frames

```
df <- data.frame(x = 1:3, y = c('a', 'b', 'c'))
A special case of a list where all elements are the same length.
```

| x | y |
|---|---|
| 1 | a |
| 2 | b |
| 3 | c |

Matrix subsetting

| | |
|-----------------------|---|
| <code>df[, 2]</code> |  |
| <code>df[2,]</code> |  |
| <code>df[2, 2]</code> |  |

List subsetting

| | | | |
|--------------------|---|----------------------|---|
| <code>df\$x</code> |  | <code>df[[2]]</code> |  |
|--------------------|---|----------------------|---|

Understanding a data frame


| | |
|-----------------------|--------------------------|
| <code>View(df)</code> | See the full data frame. |
| <code>head(df)</code> | See the first 6 rows. |

`nrow(df)`
Number of rows.


`ncol(df)`
Number of columns.

`dim(df)`
Number of columns and rows.

`cbind` - Bind columns.



`rbind` - Bind rows.



Strings

Also see the **stringr** library.

| | |
|--|---------------------------------------|
| <code>paste(x, y, sep = ' ')</code> | Join multiple vectors together. |
| <code>paste(x, collapse = ' ')</code> | Join elements of a vector together. |
| <code>grep(pattern, x)</code> | Find regular expression matches in x. |
| <code>gsub(pattern, replace, x)</code> | Replace matches in x with a string. |
| <code>toupper(x)</code> | Convert to uppercase. |
| <code>tolower(x)</code> | Convert to lowercase. |
| <code>nchar(x)</code> | Number of characters in a string. |

Factors

| | | | |
|------------------------|--|---------------------------------|--|
| <code>factor(x)</code> | Turn a vector into a factor. Can set the levels of the factor and the order. | <code>cut(x, breaks = 4)</code> | Turn a numeric vector into a factor but 'cutting' into sections. |
|------------------------|--|---------------------------------|--|

Statistics




| | | |
|--|---|--|
| <code>lm(x ~ y, data=df)</code> Linear model. | <code>t.test(x, y)</code> Perform a t-test for difference between means. | <code>prop.test</code> Test for a difference between proportions. |
| <code>glm(x ~ y, data=df)</code> Generalised linear model. | <code>pairwise.t.test</code> Perform a t-test for paired data. | <code>aov</code> Analysis of variance. |
| <code>summary</code> Get more detailed information out a model. | | |

Distributions

| | Random Variates | Density Function | Cumulative Distribution | Quantile |
|----------|---------------------|---------------------|-------------------------|---------------------|
| Normal | <code>rnorm</code> | <code>dnorm</code> | <code>pnorm</code> | <code>qnorm</code> |
| Poisson | <code>rpois</code> | <code>dpois</code> | <code>ppois</code> | <code>qpois</code> |
| Binomial | <code>rbinom</code> | <code>dbinom</code> | <code>pbinom</code> | <code>qbinom</code> |
| Uniform | <code>runif</code> | <code>dunif</code> | <code>punif</code> | <code>qunif</code> |

Plotting

Also see the **ggplot2** library.

| | | |
|---|---|---|
|  <code>plot(x)</code> Values of x in order. |  <code>plot(x, y)</code> Values of x against y. |  <code>hist(x)</code> Histogram of x. |
|---|---|---|

Dates

See the **lubridate** library.